

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	144	offload\$4 with NIC and (@ad<="20031031" or @rlad<="20031031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/15 16:28
L2	63	offload\$4 with NIC same (software or layer) and (@ad<="20031031" or @rlad<="20031031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/15 16:28
S1	5	transfer\$4 with protocol near2 stack same software same ("network interface card") and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 11:16
S2	19	transfer\$4 with protocol near2 stack same ("network interface card") and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/05 18:12
S3	1778	(709/250).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/05 18:11
S4	4749	(709/238,250).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/05 18:11
S5	4589	(370/389).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/05 18:11
S6	168	S4 and S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/05 18:12

S7	20	transfer\$4 with protocol near2 stack same ("network interface card")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/05 18:12
S8	0	S7 and S6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/05 18:12
S9	6	(transfer\$4 or transmit\$4 or off \$load\$4) with protocol near2 stack same software same ("network interface card") and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/05 18:19
S10	6	(transfer\$4 or transmit\$4 or off \$load\$4 or chang\$4) with protocol near2 stack same software same ("network interface card") and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/05 18:13
S11	0	(off\$load\$4) with protocol near2 stack same software same ("network interface card") and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/05 18:19
S12	7	((US-20040062245-\$ or US-20020091844-\$).did. or (US-6981140-\$ or US-7076568-\$). did. or (US-20030079033-\$ or US-6427171-\$ or US-6393487-\$).did.	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/07/18 10:50
S13	1	TOE and S12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 10:50
S14	7	TOE same (software and hardware) same TCP same stack and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 14:05
S15	2	("20040193733").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 11:30

S16	4	((("6247060") or ("20020062333"))).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 11:27
S17	3	("6904519").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 12:44
S18	2	("7181544").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 11:35
S19	2735	(establish\$4) with connection same (transfer\$4 or transmit\$4) with protocol and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 12:45
S20	0	(establish\$4) with connection same (transfer\$4 or transmit\$4) with protocol same stack same NIC and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 12:45
S21	34	(establish\$4) with connection same (transfer\$4 or transmit\$4) with protocol and stack same NIC and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 12:46
S22	2	("6697868").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 15:34
S23	13	(US-20040062245-\$ or US-20020091844-\$ or US-20050086349-\$ or US-20040193733-\$ or US-20020062333-\$).did. or (US-6981140-\$ or US-7076568-\$ or US-6904519-\$ or US-7181544-\$ or US-6697868-\$).did. or (US-20030079033-\$ or US-6427171-\$ or US-6393487-\$).did.	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/07/18 14:00
S24	3	S23 and TOE	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/07/18 14:00

S25	10	TOE and (software and hardware) same TCP same stack and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 14:19
S26	30	(hardware or NIC) with offload \$4 with stack and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 14:19
S27	182	(send\$4 or transmit\$4) with connection with (time or estimate) same congestion	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 15:37
S28	182	(send\$4 or transmit\$4) with connection with (time or estimate) same congestion	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 15:37
S29	137	(send\$4 or transmit\$4) with connection with (time or estimate) same congestion and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 15:37
S30	13	(send\$4 or transmit\$4) with connection with (time or estimate) same congestion with protocol and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 15:38
S31	277	process\$4 same connection same NIC and (transfer\$4 or transmit\$4) with connection and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 16:45
S32	70	process\$4 same connection same NIC same (transfer\$4 or transmit\$4) with connection and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/26 08:55
S33	14	process\$4 with connection with NIC same (transfer\$4 or transmit\$4) with connection and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/26 08:55

S34	3	pre\$defin\$4 with connection with refus\$4 and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 12:33
S35	9	pre\$defin\$4 same connection with refus\$4 and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 12:33
S36	19	pre\$defin\$4 same connection same refus\$4 and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 12:38
S37	16	S36 not S34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 12:37
S38	0	pre\$defin\$4 near2 connection same refus\$4 and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 12:38
S39	1	pre\$defin\$4 near5 connection same refus\$4 and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 12:38
S40	0	process\$4 same connection same NIC and (transfer\$4 or transmit\$4) with pre\$define with connection and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 12:39
S41	0	process\$4 same connection same NIC and (transfer\$4 or transmit\$4)with connection and pre\$define and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 12:39
S42	0	process\$4 same connection same NIC and (transfer\$4 or transmit\$4) same connection and pre\$define and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 12:40

S43	0	process\$4 same connection same NIC and pre\$define and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 12:40
S44	465	process\$4 same connection and pre\$define and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 12:40
S45	6	process\$4 same connection same pre\$define and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 12:41
S46	1811	re\$us\$4 with connection and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 12:41
S47	3	re\$us\$4 with connection with pre\$defin\$4 and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 12:41
S48	9	re\$us\$4 with connection same pre\$defin\$4 and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 12:41
S49	0	((re\$us\$4 with connection with pre\$defin\$4).ab.ti. and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 12:42
S50	5	((re\$us\$4 or den\$5) with connection with pre\$defin\$4).ab.ti. and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 12:43
S51	17	((re\$us\$4 or den\$5) same connection same pre\$defin\$4).ab.ti. and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 12:45

S52	12	S51 not S50	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 12:44
S53	300	(exceed\$4) with connection with port and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 12:46
S54	6	(exceed\$4) with connection with port and NIC and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 12:47
S55	16	(limit\$4) with connection with port and NIC and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 12:49
S56	14	S55 not S54	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 12:47
S57	0	(limit\$4) with connection with port same refus\$4 and NIC and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 12:49
S58	0	(limit\$4) with connection same port same refus\$4 and NIC and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 12:50
S59	1	(limit\$4) with connection same refus\$4 and NIC and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 12:50
S60	26	refus\$4 with connection and NIC and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 12:51

S61	0	refus\$4 with connection and NIC same limit\$4 with connection and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 12:51
S62	0	refus\$4 with connection and NIC same limit\$4 with connection and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 12:51
S63	0	refus\$4 with connection and NIC same limit\$4 same connection and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 12:51
S64	21	refus\$4 with connection and NIC and limit\$4 same connection and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 13:29
S65	3	refus\$4 with connection with port and NIC and limit\$4 same connection and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 13:30
S66	4	refus\$4 with connection same port and NIC and limit\$4 same connection and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 13:31
S67	4	(refus\$4 or deny) with connection same port and NIC and limit\$4 same connection and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 13:31
S68	5	(refus\$4 or deny) with connection same port and NIC and (limit\$4 or maxim\$5) same connection and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 13:33
S69	5	(refus\$4 or deny) with connection same port and NIC and (limit\$4 or maxim\$5 or pre\$defin\$4) same connection and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 13:34

S70	1672	NIC and (limit\$4 or max\$5 or pre\$defin\$4) same connection and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 13:34
S71	705	NIC and (limit\$4 or max\$5 or pre\$defin\$4) with connection and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 13:34
S72	292	NIC and (limit\$4 or max\$5 or pre\$defin\$4) near3 connection and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 13:34
S73	80	NIC and (limit\$4 or max\$5 or pre\$defin\$4) near connection and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 13:34
S74	3	NIC same(limit\$4 or max\$5 or pre\$defin\$4) near connection and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 13:56
S75	958	(minimum with transfer with size) and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 13:56
S76	0	(minimum with transfer with size) same NIC and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 13:56
S77	2	("7127613").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 16:45
S78	5	(off\$load\$4) same (size near3 data) same (time) and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/10 09:18

S79	18	(prevent\$4) same (transfer\$4) with jitter same time and (@ad<="20031031" or @rlad<="20031031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/10 09:21
S80	0	(optimz\$4) with (transfer\$4 or send\$4) with time and (@ad<="20031031" or @rlad<="20031031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 08:30
S81	1004	(optimz\$4 or best) with (transfer\$4 or send\$4) with time and (@ad<="20031031" or @rlad<="20031031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/10 09:21
S82	6	(optimz\$4 or best) with (transfer\$4 or send\$4) with time same "data size" and (@ad<="20031031" or @rlad<="20031031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/10 09:24
S83	0	prevent\$4 near3 delay same (transfer\$4 or send\$4) with time same "data size" and (@ad<="20031031" or @rlad<="20031031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/10 09:25
S84	0	prevent\$4 near3 delay same (transfer\$4 or send\$4) same time same "data size" and (@ad<="20031031" or @rlad<="20031031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 12:56
S85	3	prevent\$4 with delay same (transfer\$4 or send\$4) same time same "data size" and (@ad<="20031031" or @rlad<="20031031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/10 09:25
S86	32617	(determin\$4 or calculat\$4) with (transfer\$4 or send\$4) with time and (@ad<="20031031" or @rlad<="20031031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/10 09:26
S87	104	(determin\$4 or calculat\$4) with (transfer\$4 or send\$4) with time same "data size" and (@ad<="20031031" or @rlad<="20031031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/10 09:29

S88	104	(determin\$4 or calculat\$4) with (transfer\$4 or send\$4 or offload\$4) with time same "data size" and (@ad<="20031031" or @rlad<="20031031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/10 09:52
S89	6696	(determin\$4 or calculat\$4) with (send\$4 or transmit\$4) with (best or optim\$4) and (@ad<="20031031" or @rlad<="20031031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/10 09:52
S90	929	(determin\$4 or calculat\$4) with (send\$4 or transmit\$4) with (best or optim\$4) with time and (@ad<="20031031" or @rlad<="20031031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/10 09:53
S91	7	(determin\$4 or calculat\$4) with (send\$4 or transmit\$4) with (best or optim\$4) with time same (data near3 size) and (@ad<="20031031" or @rlad<="20031031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/10 09:55
S92	11	((("6904519") or ("6393487") or ("7076568") or ("20050086349") or ("7181544")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/10 09:56
S93	8	(spam\$4) with filter with (multiple or many or several) same check\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/10 17:22
S94	14	(spam\$4) with filter same (deny or black) near3 list and (@ad<="20040630" or @rlad<="20040630")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/10 17:23
S95	14	S94 not "18"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/10 17:24
S96	13	S94 not S93	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 12:56

S97	977	prevent\$4 near3 delay same (transfer\$4 or send\$4) and (@ad<="20031031" or @rlad<="20031031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 12:56
S98	0	prevent\$4 near3 delay same (transfer\$4 or send\$4) same (night) and (@ad<="20031031" or @rlad<="20031031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 12:57
S99	0	prevent\$4 near3 delay same (transfer\$4 or send\$4) same (best) near3 time and (@ad<="20031031" or @rlad<="20031031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 12:57
S100	3	prevent\$4 near3 delay same (transfer\$4 or send\$4) same (best) same time and (@ad<="20031031" or @rlad<="20031031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 12:58
S101	311	(prevent\$4 near3 delay same (transfer\$4 or send\$4)).ab.ti. and (@ad<="20031031" or @rlad<="20031031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 12:58
S102	0	(prevent\$4 near3 delay same (transfer\$4 or send\$4)).ab.ti. and (best or optimal) near3 time and (@ad<="20031031" or @rlad<="20031031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 12:58
S103	0	(prevent\$4 near3 delay same (transfer\$4 or send\$4)).ab.ti. and (best or optimal) with time and (@ad<="20031031" or @rlad<="20031031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 12:58
S104	395	(prevent\$4 near3 delay same (transfer\$4 or send\$4)).ab.ti. and (best or optimal) sametime and (@ad<="20031031" or @rlad<="20031031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 12:58
S105	0	(prevent\$4 near3 delay same (transfer\$4 or send\$4)).ab.ti. and (best or optimal) same time and (@ad<="20031031" or @rlad<="20031031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 13:04

S106	133	(download\$4 or upload\$4) with time with night and (@ad<="20031031" or @rlad<="20031031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 14:25
S107	133	(download\$4 or upload\$4) with (time or "off time") with night and (@ad<="20031031" or @rlad<="20031031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 13:05
S108	1	(download\$4 or upload\$4) with (time or "off time") with night and NI CE and (@ad<="20031031" or @rlad<="20031031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 13:06
S109	3	(download\$4 or upload\$4) with (time or "off time") with night and NI C and (@ad<="20031031" or @rlad<="20031031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 13:06
S110	0	(download\$4 or upload\$4) with (time or "off time") with night same (prevent\$4) same delay and NI C and (@ad<="20031031" or @rlad<="20031031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 13:07
S111	0	(download\$4 or upload\$4) with (time or "off time") with night and (prevent\$4) same delay and NI C and (@ad<="20031031" or @rlad<="20031031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 13:07
S112	1	(download\$4 or upload\$4) with (time or "off time") with night and (prevent\$4) same delay and (@ad<="20031031" or @rlad<="20031031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 13:15
S113	60567	("709").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 13:09
S114	27	S113 aND S107	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 13:09

S115	0	(download\$4 or upload\$4) with time with night same "network condition" and (@ad<="20031031" or @rlad<="20031031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 13:13
S116	0	(download\$4 or upload\$4) with time with night and "network condition" and (@ad<="20031031" or @rlad<="20031031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 13:13
S117	1	(download\$4 or upload\$4) with (time or "off time") with night and (prevent\$4 or impact\$4) same delay and (@ad<="20031031" or @rlad<="20031031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 13:23
S118	2	("20040015966").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 14:25
S119	2070	connect\$4 same network same health and (@ad<="20031031" or @rlad<="20031031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 14:28
S120	0	connect\$4 same network same health same "refusing connection" and (@ad<="20031031" or @rlad<="20031031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 14:28
S121	0	connect\$4 same network same health and "refusing connection" and (@ad<="20031031" or @rlad<="20031031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/14 14:28
S122	2441	(state) with network with protocol and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 08:27
S123	19	(state) with network with protocol same (nature) and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 08:28

S124	0	(state) with network with protocol with stack same (nature) and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 08:28
S125	106	(state) with network with protocol with stack and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 08:29
S126	5	(accept\$4 or refus\$4) same (state) with network with protocol with stack and @ad<="20031031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 08:29
S127	5	(accept\$4 or refus\$4) same (state) with network with protocol with stack and (@ad<="20031031" or @rlad<="20031031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 08:31
S128	10	(accept\$4 and refus\$4) and (state) with network with protocol with stack and (@ad<="20031031" or @rlad<="20031031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 08:34
S129	10	S128 not S126	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 08:31
S130	10	(accept\$4 and refus\$4) with connection and (state) with network with protocol with stack and (@ad<="20031031" or @rlad<="20031031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 08:37
S131	10	(accept\$4 and refus\$4) with connection and (state) with network with protocol same off \$load\$4 and (@ad<="20031031" or @rlad<="20031031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 08:37
S132	2	("20030204634").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/06/25 16:35

Si33	127	off\$load same NIC and (@ad<="20031031" or @rlad<="20031031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/25 17:38
Si34	4	off\$load same NIC same condition and (@ad<="20031031" or @rlad<="20031031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/25 17:39
Si35	27846243	(accept\$4 and refus\$4) and (state and nature) (@ad<="20031031" or @rlad<="20031031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/27 10:30
Si36	4250	(accept\$4 and refus\$4) and (state and nature) and (@ad<="20031031" or @rlad<="20031031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/27 10:30
Si37	170	(accept\$4 same refus\$4) and (state same nature) and (@ad<="20031031" or @rlad<="20031031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/27 10:31
Si38	22	(accept\$4 same refus\$4) and (state same nature) and NIC and (@ad<="20031031" or @rlad<="20031031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/27 10:31
Si39	8	((("20050198400") or ("20040064589") or ("20050135361") or ("6665788")),PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/15 09:44

12/15/2008 4:29:04 PM

C:\Documents and Settings\btiv\My Documents\EAST\Workspaces
10698212_10698168_transfer_protocol_stack_network_card.wsp